

# TEST REPORT

Company Name MEIZU TECHNOLOGY CO., LTD.  
Shown on Report:  
Address: MEIZU Tech Bldg, Technology & Innovation Coast, Zhuhai,  
519085, Guangdong, China

**The following sample(s) was/were submitted and identified on behalf of the client as:**



Sample Name: Mobile Phone  
Sample Model: M512H  
Sample quantity: 1 Set  
Sample Received Date: Feb.17, 2025  
Test Period: Feb.17, 2025 - Feb.25, 2025  
Date of Issue: Apr.16, 2025

## General Information:

Product Total Weight: 401.00g(A:200.17g B:65.39g  
C:56.20g D:51.08g E: 28.16g)  
Category under the WEEE Directive: 6th small IT and telecommunications  
equipment

**ISSUED BY:**  
GUANGDONG TICOBO TESTING CO.,LTD.



**Tested by:** Jary **Checked by:** Lily **Approved by:** Sam Xie  
  

**1. Test Requested and Test Conclusion:**

Based on the performed tests on specified material(s) or submitted sample(s).

| Test items                                                                                 |
|--------------------------------------------------------------------------------------------|
| 2012/19/EU-on waste electrical and electronic equipment(WEEE)-Article 4, 11, 15(2)&Annex V |

**2. Result of Reuse/Recycling/Recovery Assessment****A**

| Reuse/Recycling/Recovery                                             | Reuse/Recycling (%) | Recovery (%) |
|----------------------------------------------------------------------|---------------------|--------------|
| Reuse/Recycling/Recovery Targets under the 2012/19/EU WEEE Directive | 55                  | 75           |
| Result of Assessment                                                 | 92.48               | 92.48        |
| WEEE requirement compliance                                          | OK                  | OK           |

**B**

| Reuse/Recycling/Recovery                                             | Reuse/Recycling (%) | Recovery (%) |
|----------------------------------------------------------------------|---------------------|--------------|
| Reuse/Recycling/Recovery Targets under the 2012/19/EU WEEE Directive | 55                  | 75           |
| Result of Assessment                                                 | 90.55               | 90.55        |
| WEEE requirement compliance                                          | OK                  | OK           |

**C**

| Reuse/Recycling/Recovery                                             | Reuse/Recycling (%) | Recovery (%) |
|----------------------------------------------------------------------|---------------------|--------------|
| Reuse/Recycling/Recovery Targets under the 2012/19/EU WEEE Directive | 55                  | 75           |
| Result of Assessment                                                 | 90.44               | 90.44        |
| WEEE requirement compliance                                          | OK                  | OK           |

**D**

| Reuse/Recycling/Recovery                                             | Reuse/Recycling (%) | Recovery (%) |
|----------------------------------------------------------------------|---------------------|--------------|
| Reuse/Recycling/Recovery Targets under the 2012/19/EU WEEE Directive | 55                  | 75           |
| Result of Assessment                                                 | 90.43               | 90.43        |
| WEEE requirement compliance                                          | OK                  | OK           |

**E**

| Reuse/Recycling/Recovery                                             | Reuse/Recycling (%) | Recovery (%) |
|----------------------------------------------------------------------|---------------------|--------------|
| Reuse/Recycling/Recovery Targets under the 2012/19/EU WEEE Directive | 55                  | 75           |
| Result of Assessment                                                 | 90.55               | 90.55        |
| WEEE requirement compliance                                          | OK                  | OK           |



### 3. REQUIREMENT OF WEEE DIRECTIVE

#### 3.1 PRODUCT DESIGN

According to article 4 of WEEE directive 2012/19/EU:

-Design and production of electrical and electronic equipment which take into account and facilitate dismantling and recovery of the components and materials. The design features or manufacturing processes do not prevent the product from being reused.

#### 3.2 PROPER TREATMENT

Proper treatment, other than preparing for re-use, and recovery or recycling operations shall, as a minimum, include the removal of all fluids and a selective treatment accordance with Annex VII of WEEE directive 2012/19/EU

-Polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls(PCB/PCT)(1)

-Mercury containing components, such as switches or backlighting lamps,

- Batteries

- Printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimeters,

- Toner cartridges, liquid and paste, as well as colour toner,

-Plastic containing brominated flame retardants,

-Asbestos waste and components which contain asbestos,

-Cathode ray tubes,

-Chlorofluorocarbons(CFC),hydrochlorofluorocarbons(HCFC) or hydrofluorocarbons(HFC), hydrocarbons(HC),

-Gas discharge lamps,

-Liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps,

-External electric cables,

-Components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress for the 23<sup>rd</sup> time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances (2),

-Components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionizing radiation(3),

-Electrolyte capacitors containing substances of concern(height>25mm, diameter>25mm or proportionately similar volume).

### 3.3 REQUIREMENT OF RECYCLING AND RECOVERY RATE

According to article 11, Annex III, Annex IV and Annex V part 3, below minimum target of Recycling and Recovery rate should be met from 15 August 2018.

| Category | Product Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Minimum Recycling Rate | Minimum Recovery Rate |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------|
| 1        | Temperature exchange equipment.<br>Refrigerators, Freezers, Equipment which automatically delivers cold products, Air conditioning equipment, Dehumidifying equipment, Heat pumps, Radiators containing oil and other temperature exchange equipment using fluids other than water for the temperature exchange.                                                                                                                                                                                                                             | 80%                    | 85%                   |
| 2        | Screens, monitors, and equipment containing screens having a surface greater than 100 cmScreens.<br>Televisions, LCD photo frames, Monitors, Laptops, Notebooks.                                                                                                                                                                                                                                                                                                                                                                             | 70%                    | 80%                   |
| 3        | Lamps.<br>Straight fluorescent lamps, Compact fluorescent lamps, Fluorescent lamps, High intensity discharge lamps-including pressure sodium lamps and metal halide lamps, Low pressure sodium lamps, LED.                                                                                                                                                                                                                                                                                                                                   | 80%                    | /                     |
| 4        | Large equipment.<br>Washing machines, Clothes dryers, Dish washing machines, Cookers, Electric stoves, Electric hot plates, Luminaires, Equipment reproducing sound or images, Musical equipment (excluding pipe organs installed in churches), Appliances for knitting and weaving. Large computer-mainframes, Large printing machines, Copying equipment, Large coin slot machines, Large medical devices, Large monitoring and control instruments, Large appliances which automatically deliver products and money, Photovoltaic panels. | 80%                    | 85%                   |

| Category | Product Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Minimum Recycling Rate | Minimum Recovery Rate |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------|
| 5        | Small equipment.<br>Vacuum cleaners, Carpet sweepers, Appliances for sewing, Luminaires, Microwaves, Ventilation equipment, Irons, Toasters, Electric knives, Electric kettles, Clocks and Watches, Electric shavers, Scales, Appliances for hair and body care, Calculators, Radio sets, Video cameras, Video recorders, Hi-fi equipment, Musical instruments, Equipment reproducing sound or images, Electrical and electronic toys, Sports equipment, Computers for biking, diving, running, rowing, etc., Smoke detectors, Heating regulators, Thermostats, Small Electrical and electronic tools, Small medical devices, Small Monitoring and control instruments, Small Appliances which automatically deliver products, Small equipment with integrated photovoltaic panels. | 55%                    | 75%                   |
| 6        | Small IT and telecommunication equipment (no external dimension more than 50cm).<br>Mobile phones, GPS, Pocket calculators, Routers, Personal computers, Printers, Telephones.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 55%                    | 75%                   |

Recycling Rate= Recycling Weight /Product Total Weight × (100%)


Recovery Rate= (Recycling Weight+ Energy Recovery Weight)/ Product Total Weight × (100%)


#### 4. EVALUATION RESULTS

##### 4.1 CONFORMITY OF WEEE MARKING(S)

Evaluate the sample according to Directive 2012/19/EU Article 15(2) & EN50419:2006

| Item No. | Requirement                                                                                                                                                 | Evaluation Result                                                                                      | Conclusion |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|------------|
| 1        | Unique Identification of producer provided e.g. by brand name, trade mark, company registration number etc.                                                 | Brand name, trade mark was found                                                                       | Yes        |
| 2        | Date of manufacturing or date of product release to the market (coded or un-coded text) or indicated by an additional solid bar under the crossed wheel bin | Solid bar was found                                                                                    | Yes        |
| 3        | Proper dimensions of marking as prescribed in the standard EN50419:2006                                                                                     | Marking was found                                                                                      | Yes        |
| 4        | The marking shall be accessible, durable, legible and indelible.                                                                                            | Marking is accessible durable, legible and indelible                                                   | Yes        |
| 5        | Location of marking shall be on:<br>1) the product or<br>2) the packaging, the instructions for use and warranty of the electronic equipment                | Marking is located on the packaging, the instructions for use and warranty of the electronic equipment | Yes        |

**4.2 DISASSEMBLING FLOWCHART**



B




B1




B2




B3



B4






D



D1



D2



D3

/



E



E1



E2



E3



E4

**4.3 Disassembly tool:**

The disassembly tools used for this product show as following:

| Disassembly Tool     | Pictures                                                                             |
|----------------------|--------------------------------------------------------------------------------------|
| Outlet forceps       |    |
| Cross screwdriver    |    |
| Scissors             |   |
| Straight screwdriver |  |

#### 4.4 WEEE ARTICLE 4-PRODUCT DESIGN

| Requirement                                                                                                                                                                                                                                                | Observation                              | Conformance |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------|
| Design and production of electrical and electronic equipment which take into account and facilitate dismantling and recovery of the components and materials. The design features or manufacturing processes do not prevent the product from being reused. | Different parts can be separated easily. | Yes         |

#### 4.5 DISASSEMBLED SAMPLE RECYCLABILITY AND RECOVERABILITY

Based on the sample disassembly and the BOM table provided by the supplier/applicant, the main materials involved are listed below with relevant evaluation results

| Photo No. | Component/Material Composition | Weight (g) | Weight Percent (%) | Reuse/ Recycling (%) | Energy Recovery (%) | Recovery (%) |
|-----------|--------------------------------|------------|--------------------|----------------------|---------------------|--------------|
| A1        | Plastic                        | 42.65      | 42.45              | 38.21                | --                  | 38.21        |
| A2        | Metal parts                    | 38.68      | 38.50              | 37.73                | --                  | 37.73        |
| A3        | Cable                          | 0.21       | 0.21               | 0.19                 | --                  | 0.19         |
| A4        | PCB                            | 18.26      | 18.17              | 16.36                | --                  | 16.36        |
| A5        | Glass                          | 35.13      | --                 | --                   | --                  | --           |
| A6        | Battery                        | 64.47      | --                 | --                   | --                  | --           |
| Total     |                                | 199.40     | 99.33              | 92.48                | --                  | 92.48        |

| Photo No. | Component/Material Composition | Weight (g) | Weight Percent (%) | Reuse/ Recycling (%) | Energy Recovery (%) | Recovery (%) |
|-----------|--------------------------------|------------|--------------------|----------------------|---------------------|--------------|
| B1        | Plastic                        | 24.03      | 36.75              | 33.07                | --                  | 33.07        |
| B2        | Metal parts                    | 5.96       | 9.11               | 8.93                 | --                  | 8.93         |
| B3        | Cable                          | 0.46       | 0.70               | 0.63                 | --                  | 0.63         |
| B4        | PCB                            | 34.81      | 53.23              | 47.91                | --                  | 47.91        |
| Total     |                                | 65.26      | 99.80              | 90.55                | --                  | 90.55        |

| Photo No. | Component/Material Composition | Weight (g) | Weight Percent (%) | Reuse/ Recycling (%) | Energy Recovery (%) | Recovery (%) |
|-----------|--------------------------------|------------|--------------------|----------------------|---------------------|--------------|
| C1        | Plastic                        | 21.40      | 38.11              | 34.30                | --                  | 34.30        |
| C2        | Metal parts                    | 3.86       | 6.87               | 6.74                 | --                  | 6.74         |
| C3        | PCB                            | 30.82      | 54.89              | 49.40                | --                  | 49.40        |
| Total     |                                | 56.08      | 99.88              | 90.44                | --                  | 90.44        |

| Photo No. | Component/Material Composition | Weight (g) | Weight Percent (%) | Reuse/ Recycling (%) | Energy Recovery (%) | Recovery (%) |
|-----------|--------------------------------|------------|--------------------|----------------------|---------------------|--------------|
| D1        | Plastic                        | 16.85      | 33.02              | 29.72                | --                  | 29.72        |
| D2        | Metal parts                    | 2.87       | 5.62               | 5.51                 | --                  | 5.51         |
| D3        | PCB                            | 31.30      | 61.34              | 55.20                | --                  | 55.20        |
| Total     |                                | 51.02      | 99.98              | 90.43                | --                  | 90.43        |

| Photo No. | Component/Material Composition | Weight (g) | Weight Percent (%) | Reuse/ Recycling (%) | Energy Recovery (%) | Recovery (%) |
|-----------|--------------------------------|------------|--------------------|----------------------|---------------------|--------------|
| E1        | Plastic                        | 4.99       | 17.75              | 15.98                | --                  | 15.98        |
| E2        | Metal parts                    | 2.82       | 10.03              | 9.83                 | --                  | 9.83         |
| E3        | Cable                          | 20.14      | 71.65              | 64.48                | --                  | 64.48        |
| E4        | PCB                            | 0.08       | 0.28               | 0.26                 | --                  | 0.26         |
| Total     |                                | 28.03      | 99.72              | 90.55                | --                  | 90.55        |

Note:

- (1) "g" denotes gram
- (2) The listed Recycling and Recovery Rate were evaluated based on theoretical and efficient treatment of waste
- (3) "%" means percentage by weight

## 5. Recommendations for WEEE Directive Compliance

-In order to avoid the product not meeting the reuse/recovery targets regulated under the WEEE Directive and the regulations of EU countries, the applicant company should, when selecting material and components design, consider they can be easy to reuse and recycle. This consideration will lessen the impact of the required international environmental directives and also improve the product's competitiveness.

-It is recommended that the applicant company, when designing new product, especially where components and materials have a large weight ratio, should consider using recyclable materials in order to increase the product's reuse/recycling/recover ratio.

-The product should apply to the ROHS Directive. (Directive 2002/95/EC on the restriction of the use of certain hazardous substances in electrical and electronics equipment). The hazardous substance specification in the Directive should be controlled in the homogenous material of this product.

-If a product has changed its product design, or materials or components employed, then the product should be reassessed and retested in accordance with WEEE Directive for reuse/recycling/recovery assessment and ROHS for restricted banned substance requirements.



**Photo of the product**

Note: The results shown in this report refer only to the sample(s) tested.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

\*\*\*End of Report\*\*\*

